

## Environmental Monitoring Data Report

**Company Name: allnex Industries (Aus) Pty Limited**

**Site: Botany**

**Address: 49-61 Stephen Road, Botany, NSW 2019**

**Licence No: 933**

*(Monitoring data from 1 Jan 2015)*



**Point-1: Discharge to Water**

Element	BOD	COD	Total suspended solids	Oil & Grease	pH	Volume of liquid discharged (kL/day)											
Unit of measure	mg/L	mg/L	mg/L	mg/L	pH	Date	Vol	Date	Vol	Date	Vol	Date	Vol	Date	Vol	Date	Vol
Frequency	Every discharge					Date	Vol	Date	Vol	Date	Vol	Date	Vol	Date	Vol	Date	Vol
Limits	20	50	30	10	6.5-8.5	Date	Vol	Date	Vol	Date	Vol	Date	Vol	Date	Vol	Date	Vol
Date of Sampling	Date Results Obtained	Test Results				Date	Vol	Date	Vol	Date	Vol	Date	Vol	Date	Vol	Date	Vol
5/01/16	6/01/16	<5	12	<5	<5	7.9	7/01/16	148	8/01/16	145	11/01/16	134	12/01/16	146	13/01/16	72	
15/01/16	18/01/16	<5	13	<5	<5	7.7	19/01/16	144	20/01/16	140	21/01/16	100					
25/01/06	27/01/16	<5	17	<5	<5	6.9	28/01/16	146	29/01/16	140	30/01/16	140	1/02/16	133			
2/03/16	7/03/16	<5	29	<5	<5	7.4	7/03/16	144	8/03/16	141	9/03/16	101					
17/03/16	18/03/16	7	28	<5	<5	7.3	21/03/16	146	22/03/16	144	23/03/16	150	24/03/16	122			
30/03/16	1/04/16	<5	<10	<5	<5	7.4	1/04/16	145	4/04/16	150	5/04/16	150	6/04/16	140			
19/04/16	20/04/16	<5	25	8	<5	7.4	21/04/16	150	22/04/16	150	26/04/16	144	27/04/16	140			
31/05/16	1/06/16	<5	26	<5	<5	7.5	2/06/16	150	3/06/16	149	4/06/16	150	6/06/16	150	7/06/16	144	
20/06/16	21/06/16	<5	11	<5	<5	7.4	22/06/16	150	23/06/16	150	24/06/16	144	25/06/16	137			
7/07/16	13/07/16	<5	19	<5	<5	7.6	9/07/16	144	11/07/16	150	12/07/16	149	13/07/16	146			
21/07/16	27/07/16	<5	12	<5	<5	7.3	22/07/16	144	23/07/16	150	25/07/16	150	26/07/16	133			
5/08/16	10/08/16	<5	13	<5	<5	7.6	9/08/16	144	10/08/16	144	11/08/16	150	12/08/16	149			
25/08/16	30/08/16	7	17	<5	<5	7.4	27/08/16	150	29/08/16	150	30/08/16	150	31/08/16	149			
5/09/16	12/09/16	<5	31	<5	<5	7.7	7/09/16	149	8/09/16	150	9/09/16	133					
18/09/16	20/09/16	<5	25	<5	<5	7.8	21/9/16	97	22/09/16	150	23/09/16	149	24/09/16	100			
4/10/16	5/10/16	<5	16	<5	<5	7.8	6/10/16	150	7/10/16	100							
25/10/16	26/10/16	<5	21	<5	<5	8	27/10/16	150	28/10/16	149	31/10/16	144	1/11/16	144	2/11/16	96	
6/12/16	7/12/16	5	43	<5	<5	8	8/12/16	150	9/12/16	149	12/12/16	150	13/12/16	144			
19/12/16	20/12/16	<5	15	<5	<5	8.1	21/12/16	150	22/12/16	150							
18/01/17	19/01/17	<5	24	<5	<5	8.2	20/01/17	150	23/01/17	144	24/01/17	150	25/01/17	150			



**Point-2: Discharge to Air**

Date of Sampling	Date Results obtained	Element	Carbon dioxide	Dry gas density	Moisture content	Molecular weight of stack gases	Nitrogen Oxides	Temperature	Velocity	Volatile organic compound	Volumetric flow rate
		Unit of measure	%	kg/m3	%	g/gmole	mg/m3	deg C	m/s	mg/m3	m3/s
		Frequency	Annual	Annual	Annual	Annual	Annual	Continuous	Annual	Annual	Continuous
		<b>Test Results</b>									
20/07/2016	19/08/2016	Min	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
		Avg	3.5	1.3	4.3	29.3	190	613	15	<0.04	2.7
		Max	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
29/06/2017	25/07/2017	Min	2.7	N/A	N/A	N/A	200	N/A	N/A	N/A	N/A
		Avg	2.8	1.3	6	29.2	220	604	16	<0.03	2.9
		Max	3	N/A	N/A	N/A	230	N/A	N/A	N/A	N/A
27/08/2018	19/09/2018	Min	2	N/A	N/A	N/A	80	N/A	N/A	N/A	N/A
		Avg	2.8	1.3	6.3	29.2	130	573	15	0.76	2.8
		Max	3.9	N/A	N/A	N/A	200	N/A	N/A	N/A	N/A
19/06/2019	12/07/2019	Min	2.6	N/A	N/A	N/A	120	N/A	N/A	N/A	N/A
		Avg	2.8	1.3	5.2	28.6	160	614	18	<0.1	3.3
		Max	3.1	N/A	N/A	N/A	180	N/A	N/A	N/A	N/A
2/07/2020	31/07/2020	Min	3	N/A	N/A	N/A	140	N/A	N/A	N/A	N/A
		Avg	3.1	1.31	5.1	29.3	140	622	15	<0.1	2.8
		Max	3.1	N/A	N/A	N/A	150	N/A	N/A	N/A	N/A

**Point-4: Thermal Oxidiser**

Month	Combustion Temperature (°C)			Residence Time (s)		
	Min	Max	Mean	Min	Max	Mean
Jan-16	760	782	771	2	2	2
Feb-16	768	768	768	2	2	2
Mar-16	767	768	768	2	2	2
Apr-16	768	768	768	2	2	2
May-16	766	766	766	2	2	2
Jun-16	768	768	768	2	2	2
Jul-16	768	768	768	2	2	2
Aug-16	768	768	768	2	2	2
Sep-16	768	768	768	2	2	2
Oct-16	768	768	768	2	2	2
Nov-16	768	768	768	2	2	2
Dec-16	768	768	768	2	2	2
Jan-17	768	768	768	2	2	2
Feb-17	768	768	768	2	2	2
Mar-17	768	768	768	2	2	2
Apr-17	766	767	766	2	2	2
May-17	768	768	768	2	2	2
Jun-17	768	768	768	2	2	2
Jul-17	768	768	768	2	2	2
Aug-17	768	768	768	2	2	2
Sep-17	768	768	768	2	2	2
Oct-17	768	768	768	2	2	2
Nov-17	768	768	768	2	2	2
Dec-17	768	768	768	2	2	2
Jan-18	762	762	762	2	2	2
Feb-18	760	761	765	2	2	2
Mar-18	764	765	764	2	2	2
Apr-18	763	764	763	2	2	2
May-18	764	765	765	2	2	2
Jun-18	769	770	770	2	2	2
Jul-18	769	771	770	2	2	2
Aug-18	769	771	770	2	2	2
Sep-18	769	770	769	2	2	2
Oct-18	768	770	769	2	2	2
Nov-18	769	770	769	2	2	2
Dec-18	769	770	770	2	2	2
Jan-19	769	770	770	2	2	2
Feb-19	769	770	770	2	2	2
Mar-19	769	770	770	2	2	2
Apr-19	769	770	770	2	2	2
May-19	769	770	770	2	2	2
Jun-19	770	770	770	2	2	2
Jul-19	770	770	770	2	2	2
Aug-19	769	770	770	2	2	2
Sep-19	769	770	770	2	2	2
Oct-19	769	770	770	2	2	2
Nov-19	769	770	769	2	2	2
Dec-19	767	769	768	2	2	2
Jan-20	768	770	769	2	2	2
Feb-20	768	769	769	2	2	2
Mar-20	768	770	769	2	2	2
Apr-20	768	770	769	2	2	2
May-20	769	770	769	2	2	2
Jun-20	768	770	769	2	2	2
Jul-20	782	783	782	2	2	2
Aug-20	768	769	769	2	2	2
Sep-20	769	769	769	2	2	2
Oct-20	768	770	769	2	2	2
Nov-20	766	772	769	2	2	2
Dec-20	769	770	770	2	2	2


**Point-5: AS/SVE Emission Stack**

Date of Sampling	Element	Total Volatile Organic Compounds	Toluene	Ethylbenzene	Xylene	Chloroform	Methylene Chloride	Vinyl Chloride	
	Unit of Measure	mg/m <sup>3</sup>	mg/m <sup>3</sup>	mg/m <sup>3</sup>	mg/m <sup>3</sup>	mg/m <sup>3</sup>	mg/m <sup>3</sup>	mg/m <sup>3</sup>	
	Limit	428	117	250	61	-	-	-	
Date Results Obtained	Test Results								
28/01/2016	29/01/2016	2.2	0.78	<0.020	0.9	< 0.020	<0.20	< 0.010	
24/02/2016	25/02/2016	0.6	0.06	<0.020	0.1	< 0.020	< 0.17	< 0.010	
17/03/2016	18/03/2016	3.0	0.70	<0.020	1.2	< 0.020	< 0.17	< 0.010	
13/04/2016	14/04/2016	1.1	0.02	<0.020	0.5	< 0.020	< 0.17	< 0.010	
26/05/2016	27/05/2016	1.8	0.81	0.04	0.5	< 0.020	< 0.17	< 0.010	
15/06/2016	16/06/2016	0.9	0.10	<0.020	0.3	< 0.020	< 0.17	< 0.010	
20/07/2016	21/07/2016	1.2	0.60	<0.020	0.4	< 0.020	< 0.17	< 0.010	
15/08/2016	16/08/2016	0.8	0.10	0.06	0.4	< 0.020	< 0.17	< 0.010	
20/09/2016	21/09/2016	2.2	0.05	0.03	0.4	< 0.020	< 0.17	< 0.010	
6/10/2016	7/10/2016	0.9	0.10	0.03	0.4	< 0.020	< 0.17	< 0.010	
29/11/2016	30/11/2016	3.5	0.28	0.10	1.9	< 0.020	< 0.17	< 0.010	
8/12/2016	9/12/2016	2.9	0.29	0.02	1.8	< 0.020	< 0.17	< 0.010	
19/01/2017	20/01/2017	6.4	0.45	0.08	4.0	< 0.020	< 0.17	< 0.010	
20/02/2017	21/02/2017*	10.3	0.54	0.04	6.8	< 0.025	< 0.18	< 0.013	
6/03/2017	7/03/2017	8.2	0.31	<0.020	5.5	< 0.020	< 0.20	< 0.010	
3/04/2017	4/04/2017	4.2	0.32	0.03	2.6	< 0.020	< 0.20	< 0.010	
22/06/2017	23/06/2017	3.9	0.20	<0.020	1.8	< 0.020	< 0.20	< 0.010	
17/07/2017	21/07/2017	3.0	0.20	<0.020	1.6	< 0.020	< 0.20	< 0.010	
3/08/2017	4/08/2017	3.0	0.10	0.04	1.9	< 0.024	< 0.17	< 0.013	
5/09/2017	6/09/2017	2.3	0.29	<0.022	1.1	< 0.024	< 0.17	< 0.013	
9/10/2017	10/10/2017	8.6	0.23	0.03	2.1	< 0.024	< 0.17	< 0.013	
27/11/2017	28/11/2017	4.0	0.47	0.05	2.4	< 0.024	< 0.17	< 0.013	
20/12/2017	21/12/2017	6.0	0.71	0.20	3.3	< 0.024	< 0.17	< 0.013	
30/01/2018	31/01/2018	4.5	0.61	0.09	2.6	< 0.024	< 0.17	< 0.013	
22/02/2018	23/02/2018	4.6	0.20	<0.022	2.8	< 0.024	< 0.172	< 0.013	
14/03/2018	15/03/2018	5.0	0.33	0.02	3.0	NA	NA	NA	
25/06/2018	26/06/2018	2.3	0.41	0.20	1.3	NA	NA	NA	
7/09/2018	8/09/2018	3.2	0.20	0.05	1.9	NA	NA	NA	
9/11/2018	9/11/2018	2.0	0.22	0.09	1.1	NA	NA	NA	
14/12/2018	14/12/2018	2.0	0.20	<0.022	1.2	NA	NA	NA	
10/01/2019	10/01/2019	2.1	0.20	<0.022	1.2	NA	NA	NA	
14/02/2019	14/02/2019	1.7	0.20	<0.022	1.0	NA	NA	NA	
8/03/2019	8/03/2019	1.6	0.20	<0.022	0.9	NA	NA	NA	
29/04/2019	29/04/2019	3.8	0.20	<0.022	2.4	NA	NA	NA	
29/05/2019	29/05/2019	1.2	0.20	<0.022	0.6	NA	NA	NA	
27/06/2019	27/06/2019	0.9	0.10	<0.022	0.6	NA	NA	NA	
29/07/2019	30/07/2019	0.8	0.10	<0.022	0.5	NA	NA	NA	
14/08/2019	15/08/2019	0.6	0.10	<0.022	0.4	NA	NA	NA	
12/09/2019	12/09/2019	1.1	0.10	0.05	0.7	NA	NA	NA	
9/10/2019	10/10/2019	1.0	0.10	0.03	0.6	NA	NA	NA	
25/11/2019	26/11/2019	1.0	0.10	<0.022	0.6	NA	NA	NA	
18/12/2019	-	system not operational							
23/01/2020	24/01/2020	1.4	0.56	0.03	0.6	NA	NA	NA	
28/02/2020	28/02/2020	0.4	0.04	<0.022	0.3	NA	NA	NA	
9/03/2020	10/03/2020	0.5	0.10	<0.022	0.3	NA	NA	NA	
5/04/2020	6/04/2020	0.7	0.21	<0.022	0.3	NA	NA	NA	
7/05/2020	8/05/2020	0.4	0.20	<0.022	0.2	NA	NA	NA	
2/06/2020	3/06/2020	0.5	0.10	<0.022	0.27	NA	NA	NA	
1/07/2020	2/07/2020	0.4	0.20	<0.022	0.15	NA	NA	NA	
3/08/2020	4/08/2020	0.3	0.20	<0.022	0.08	NA	NA	NA	
9/09/2020	10/09/2020	0.2	0.04	<0.022	0.09	NA	NA	NA	
13/10/2020	14/10/2020	0.3	0.20	<0.022	0.06	NA	NA	NA	

**Point-6: Groundwater Monitoring**

Date of Sampling	Element	1,2-Dichloroethane	cis-1,2-Dichloroethylene	trans-1,2-Dichloroethylene	Carbon Tetrachloride	Chloroform	Chloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Vinyl chloride
	Unit of Measure	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Date Results Obtained	Test Results										
27/01/2016	10/02/2016	<50	<50	<50	<50	<50	<500	<50	<50	<50	<500
24/02/2016	3/03/2016	<50	<50	<50	<50	<50	<500	<50	<50	<50	<500
17/03/2016	30/03/2016	<50	<50	<50	<50	<50	<500	<50	<50	<50	<500
13/04/2016	20/04/2016	<50	<50	<50	<50	<50	<500	<50	<50	<50	<500
19/05/2016	26/05/2016	<50	<50	<50	<50	<50	<500	<50	<50	<50	<500
15/06/2016	24/06/2016	<50	<50	<50	<50	<50	<500	<50	<50	<50	<500
20/07/2016	27/07/2016	<50	<50	<50	<50	<50	<500	<50	<50	<50	<500
15/08/2016	23/08/2016	<50	<50	<50	<50	<50	<500	<50	<50	<50	<500
20/09/2016	28/09/2016	<50	<50	<50	<50	<50	<500	<50	<50	<50	<500
6/10/2016	14/10/2016	<50	<50	<50	<50	<50	<500	<50	<50	<50	<500
29/11/2016	8/12/2016	<50	<50	<50	<50	<50	<500	<50	<50	<50	<500
8/12/2016	19/12/2016	<50	<50	<50	<50	<50	<500	<50	<50	<50	<500
19/01/2017	30/01/2017	<50	<50	<50	<50	<50	<500	<50	<50	<50	<500
20/02/2017	2/03/2017	<50	<50	<50	<50	<50	<500	<50	<50	<50	<500
6/03/2017	14/03/2017	<50	<50	<50	<50	<50	<500	<50	<50	<50	<500
3/04/2017	10/04/2017	<50	<50	<50	<50	<50	<500	<50	<50	<50	<500
22/05/2017	29/05/2017	<50	<50	<50	<50	<50	<500	<50	<50	<50	<500
26/06/2017	4/07/2017	<50	<50	<50	<50	<50	<500	<50	<50	<50	<500
20/07/2017	28/07/2017	<50	<50	<50	<50	<50	<500	<50	<50	<50	<500
3/08/2017	10/08/2017	<50	<50	<50	<50	<50	<500	<50	<50	<50	<500
5/09/2017	15/09/2017	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
9/10/2017	16/10/2017	<50	<50	<50	<50	<50	<500	<50	<50	<50	<500
28/11/2017	8/12/2017	<50	<50	<50	<50	<50	<500	<50	<50	<50	<500
20/12/2017	8/01/2018	<50	<50	<50	<50	<50	<500	<50	<50	<50	<500
30/01/2018	8/02/2018	<50	<50	<50	<50	<50	<500	<50	<50	<50	<500
22/02/2018	6/03/2018	<50	<50	<50	<50	<50	<500	<50	<50	<50	<500

	Element	Ethyl benzene	Toluene	TPH C6-C9 Fraction	TPH C10-C14	TPH C15-C28	TPH C29-C36	Volatile Organic Compounds	Xylene		
	Unit of Measure	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L		
Date of Sampling	Date Results Obtained	Test Results									
14/03/2018	27/03/2018	28000	4050	86200	5930	780	<50	96481	24800		
25/06/2018	11/07/2018	18300	3010	41500	4780	520	<50	60670	15500		
7/09/2018	8/09/2018	13400	268	28500	1810	190	<50	38850	10280		
9/11/2018	9/11/2018	16800	283	33100	2270	190	<50	45090	10700		
14/12/2018	14/12/2018	22200	429	43000	3270	390	<50	52210	16180		
10/01/2019	10/01/2019	21900	362	53800	4690	320	<50	58650	16800		
14/02/2019	14/02/2019	27000	174	51700	3220	400	<50	56680	19600		
8/03/2019	8/03/2019	31200	545	64400	3600	250	<50	68306	20800		
29/04/2019	14/05/2019	22200	508	54000	3930	340	<50	58470	17400		
29/05/2019	12/06/2019	19600	393	50900	2310	170	<50	54230	14600		
27/06/2019	22/07/2019	22000	3120	56900	4610	<100	<50	63260	16000		
11/07/2019	22/07/2019	25900	12500	107000	1690	170	<50	106000	23200		
14/08/2019	21/08/2019	19900	484	38600	3480	260	<50	41970	11300		
12/09/2019	20/09/2019	14300	560	30000	2320	250	<50	32734	9270		
9/10/2019	18/10/2019	17400	504	47100	1850	300	<50	51610	12100		
19/11/2019	4/12/2019	19400	298	42900	2080	220	<50	45400	15000		
18/12/2019	7/01/2020	9170	143	32100	3000	340	<50	36130	7130		
24/01/2020	24/02/2020	6800	192	18000	2680	<100	<50	21158	7380		
12/02/2020	13/03/2020	28500	13000	103000	2530	<100	<50	110460	20600		
10/03/2020	17/03/2020	25200	16700	90700	5110	350	<50	97890	20100		
6/04/2020	16/04/2020	25700	13400	86200	2740	120	<50	90920	19900		
8/05/2020	18/05/2020	10600	1010	35600	2780	260	<50	38466	10600		
3/06/2020	12/06/2020	22800	1450	61000	2700	110	<50	65125	17200		
2/07/2020	9/07/2020	14400	1430	50600	3590	220	<50	54259	13300		
4/08/2020	12/08/2020	23400	9570	73700	5300	210	<50	78194	19100		
10/09/2020	18/09/2020	13500	841	53200	3940	240	<50	54900	12600		



**Point-7: Groundwater Monitoring**

Date of Sampling	Element	1,2-Dichloroethane	cis-1,2-Dichloroethylene	trans-1,2-Dichloroethylene	Carbon Tetrachloride	Chloroform	Chloromethane	Methylene Chloride	Tetrachloroethene	Trichloroethene	Vinyl chloride
	Unit of Measure	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
	Date Results Obtained	Test Results									
21/12/2015	5/01/2016	<5	<5	<5	<5	<5	<50	<5	<5	<5	<50
27/01/2016	10/02/2016	<5	<5	<5	<5	<5	<50	<5	<5	<5	<50
24/02/2016	3/03/2016	<5	<5	<5	<5	<5	<50	<5	<5	<5	<50
16/03/2016	30/03/2016	<5	<5	<5	<5	<5	<50	<5	<5	<5	<50
13/04/2016	20/04/2016	<5	<5	<5	<5	<5	<50	<5	<5	<5	<50
19/05/2016	26/05/2016	<5	<5	<5	<5	<5	<50	<5	<5	<5	<50
15/06/2016	24/06/2016	<5	<5	<5	<5	<5	<50	<5	<5	<5	<50
20/07/2016	27/07/2016	<5	<5	<5	<5	<5	<50	<5	<5	<5	<50
15/08/2016	23/08/2016	<5	<5	<5	<5	<5	<50	<5	<5	<5	<50
21/09/2016	28/09/2016	<5	<5	<5	<5	<5	<50	<5	<5	<5	<50
6/10/2016	14/10/2016	<5	<5	<5	<5	<5	<50	<5	<5	<5	<50
29/11/2016	8/12/2016	<5	<5	<5	<5	<5	<50	<5	<5	<5	<50
8/12/2016	19/12/2016	<5	<5	<5	<5	<5	<50	<5	<5	<5	<50
19/01/2017	30/01/2017	<5	<5	<5	<5	<5	<50	<5	<5	<5	<50
20/02/2017	2/03/2017	<5	<5	<5	<5	<5	<50	<5	<5	<5	<50
7/03/2017	14/03/2017	<5	<5	<5	<5	<5	<50	<5	<5	<5	<50
3/04/2017	10/04/2017	<5	<5	<5	<5	<5	<50	<5	<5	<5	<50
22/05/2017	29/05/2017	<5	<5	<5	<5	<5	<50	<5	<5	<5	<50
27/06/2017	4/07/2017	<5	<5	<5	<5	<5	<50	<5	<5	<5	<50
20/07/2017	28/07/2017	<5	<5	<5	<5	<5	<50	<5	<5	<5	<50
3/08/2017	10/08/2017	<5	<5	<5	<5	<5	<50	<5	<5	<5	<50
8/09/2017	15/09/2017	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
9/10/2017	16/10/2017	<5	<5	<5	<5	<5	<50	<5	<5	<5	<50
28/11/2017	8/12/2017	<5	<5	<5	<5	<5	<50	<5	<5	<5	<50
20/12/2017	8/01/2018	<5	<5	<5	<5	<5	<50	<5	<5	<5	<50
30/01/2018	8/02/2018	<5	<5	<5	<5	<5	<50	<5	<5	<5	<50
22/02/2018	6/03/2018	<5	<5	<5	<5	<5	<50	<5	<5	<5	<50

Date of Sampling	Element	Ethyl benzene	Toluene	TPH C6-C9 Fraction	TPH C10-C14	TPH C15-C28	TPH C29-C36	Volatile Organic Compounds	Xylene
	Unit of Measure	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
	Date Results Obtained	Test Results							
14/03/2018	27/03/2018	262	3	670	300	<100	<50	1021	177
25/06/2018	11/07/2018	275	273	1170	140	<100	<50	1390	283
7/09/2018	8/09/2018	32	3.0	80.0	70.0	<100	<50	106.0	22.0
9/11/2018	9/11/2018	24	3.0	40.0	<50	<100	<50	85.0	12.0
14/12/2018	14/12/2018	11	<2	20.0	<50	<100	<50	14.0	4.0
10/01/2019	10/01/2019	4	<2	<20	<50	<100	<50	4.0	<2
14/02/2019	14/02/2019	8	<2	<20	<50	<100	<50	11.0	3.0
8/03/2019	8/03/2019	2	<2	<20	<50	<100	<50	2.0	<2
29/04/2019	14/05/2019	234	330	2760	350	<100	<50	3120	1510
29/05/2019	12/06/2019	225	20	1040	470	<100	<50	1399	384
27/06/2019	22/07/2019	4	<2	30	<50	<100	<50	21	17
11/07/2019	22/07/2019	10	<2	40	<50	<100	<50	32	22
14/08/2019	21/08/2019	<2	<2	<20	<50	<100	<50	<1	<2
12/09/2019	20/9/109	<2	<2	<20	<50	<100	<50	<1	<2
9/10/2019	18/10/2019	<2	<2	<20	<50	<100	<50	<1	<2
18/11/2019	4/12/2019	<2	<2	<20	<50	<100	<50	<1	<2
18/12/2019	7/01/2020	<2	<2	<20	<50	<100	<50	<1	<2
24/01/2020	24/02/2020	3	3	<20	<50	<100	<50	15	9
12/02/2020	13/03/2020	6	<2	<20	<50	<100	<50	11	5
10/03/2020	17/03/2020	<2	<2	<20	<50	<100	<50	<1	<2
7/04/2020	16/04/2020	<2	<2	<20	<50	<100	<50	<1	<2
8/05/2020	18/05/2020	<2	<2	<20	<50	<100	<50	<1	<2
3/06/2020	12/06/2020	<2	<2	<20	<50	<100	<50	<1	<2
2/07/2020	9/07/2020	<2	<2	<20	<50	<100	<50	<1	<2
4/08/2020	12/08/2020	<2	<2	<20	<50	<100	<50	<1	<2
10/09/2020	18/09/2020	<2	<2	<20	<50	<100	<50	<1	<2