

Environmental Monitoring Data Report

Company Name: Allnex Resins (Aus) Pty Limited

Site: Botany

Address: 49-61 Stephen Road, Botany, NSW 2019

Licence No: 933



Point-1: Discharge to Water

Date of Sampling	Date Results Obtained	Element	BOD	COD	Total suspended solids	Oil & Grease	pH	Volume of liquid discharged (kL/day)																
		Unit of measure	mg/L	mg/L	mg/L	mg/L	pH	Date	Vol	Date	Vol	Date	Vol	Date	Vol	Date	Vol							
		Frequency Limits	20	50	30	10	6.5-8.5																	
8/01/19	9/01/19	<5	21	6	<5	8	14/01/19	150	15/01/19	150	16/01/19	149	17/01/19	100										
31/01/19	1/02/19	<5	28	<5	<5	7.9	4/02/19	144	5/02/19	151	6/02/19	116	7/02/19	135	8/02/19	35								
25/02/19	26/02/19	<5	19	<5	<5	8	27/02/19	151	28/02/19	149	1/03/19	150	4/03/19	144										
15/03/19	18/03/19	<5	25	<5	<5	8	19/03/19	151	20/03/19	149	21/03/19	150	22/03/19	146										
1/04/19	2/04/19	<5	15	<5	<5	7.9	4/04/19	151	4/05/19	150	4/06/19	100												
6/05/19	7/05/19	<5	23	<6	<5	8.1	6/05/19	144	7/05/19	100														
6/06/19	11/06/19	<5	16	<5	<5	8	11/06/19	150	12/06/19	149	13/06/19	151	14/06/19	100										
17/06/19	19/06/19	<5	19	<5	<5	8	19/06/19	144	20/06/19	150	21/06/19	149	22/06/19	157										
30/08/19	2/09/19	<5	38	<5	6	7.6	5/09/19	144	6/09/19	100														
19/09/19	20/09/19	<5	<10	<5	<5	7.9	23/09/19	150	24/09/19	149	25/09/19	145	26/09/19	106										
21/01/20	22/01/20	<5	16	<5	<5	7.9	28/01/20	146	29/01/20	150	30/01/20	151	31/01/20	100										
10/02/20	11/02/20	<5	<10	<5	<5	7.5	12/02/20	159	13/02/20	149	14/02/20	150	17/02/20	144										
6/03/20	10/03/20	<5	<10	<5	<5	8.1	10/03/20	158	11/03/20	150	12/03/20	150	13/03/20	144										
17/03/20	23/03/20	<5	<10	<5	<5	8	19/03/20	157	20/03/20	146	23/03/20	150	24/03/20	150										
30/03/20	7/04/20	<5	11	5	<5	8	1/04/20	150	2/04/20	144	3/04/20	159	6/04/20	150	7/04/20	78								
1/05/20	4/05/20	<5	16	<5	<5	7.9	5/05/20	100	6/05/20	100														
21/05/20	25/05/20	<5	9	<5	<5	7.9	25/05/20	150	26/05/20	150	27/05/20	149	28/05/20	151										
9/06/20	11/06/20	<5	15	<5	<5	8	11/06/20	155	12/06/20	150	15/06/20	151	16/06/20	157	17/06/20	100								
29/06/20	30/06/20	<5	16	<5	<5	8.1	30/06/20	66	1/07/20	150	2/07/20	100	3/07/20	70										
28/07/20	30/07/20	5	20	<5	<5	8	30/07/20	70	31/07/20	81	3/08/20	115	4/08/20	112	5/08/20	151								
10/08/20	11/08/20	<5	11	<5	<5	6.7	11/08/20	62	12/08/20	115	13/08/20	118	14/08/20	149	15/08/20	77								
21/09/20	23/09/20	<5	17	<5	<5	7.3	23/09/20	22	24/09/20	150	25/09/20	144												
19/10/20	21/10/20	<5	21	<5	<5	7.7	21/10/21	150	22/10/20	115														
30/10/20	3/11/20	<5	14	<5	<5	7.8	3/11/20	151	4/11/20	149	5/11/20	144	9/11/20	122										
11/12/20	15/12/20	<5	26	<5	<5	6.9	15/12/20	100	16/12/20	154	17/12/20	150	18/12/20	133										
23/12/20	29/12/20	<5	19	<5	<5	7.1	29/12/20	118	30/12/20	123	31/12/20	152												
4/01/21	14/01/21	<5	13	<5	<5	7.1	6/01/21	141	7/01/21	134	8/01/21	82												
1/02/21	8/02/21	<5	15	<5	<5	7.1	3/02/21	133	4/02/21	151	5/02/21	150	8/02/21	33										
18/02/21	24/02/21	<5	14	<5	<5	7.7	22/02/21	97	25/02/21	11														
26/02/21	3/03/21	<5	19	5	<5	7.7	1/03/21	100	2/03/21	150	3/03/21	146	4/03/21	89										
19/03/21	22/03/21	<5	7	<5	<5	8.5	23/03/21	150	24/03/21	149	25/03/21	144	26/03/21	144										
8/04/21	9/04/21	<5	<5	11	<5	8.3	12/04/21	150	13/04/21	149	14/04/21	146												
6/05/21	7/05/21	<5	25	8	<5	8.4	10/05/21	151	11/05/21	149	12/05/21	146	13/05/21	152										
21/06/21	22/06/21	<5	14	25	<5	8	23/06/21	150	24/06/21	150	25/06/21	149	28/06/21	100										
1/07/21	2/07/21	<5	13	<5	<5	8.3	5/07/21	150	6/07/21	149	7/07/21	150	8/07/21	100										
27/08/21	30/08/21	9	22	<5	<5	7.3	1/09/21	150	2/09/21	150	3/09/21	151	6/09/21	145										
14/09/21	15/09/21	5	18	<5	<5	8.2	15/09/21	61	16/09/21	144	17/09/21	150	18/09/21	122	20/09/21	100								
13/10/21	14/10/21	<5	26	<5	<5	8.4	15/10/21	77	16/10/21	135	18/10/21	144	19/10/21	70										
9/11/21	10/11/21	<5	<5	<5	<5	8.5	11/11/21	150	12/11/21	144	15/11/21	100	16/11/21	154	17/11/21	100								
22/11/21	23/11/21	<5	8	<5	<5	7.8	24/11/21	151	25/11/21	149	26/11/21	144	29/11/21	150	30/11/21	123								
13/12/21	14/12/21	<5	14	6	<5	7.9	15/12/21	151	16/12/21	149	17/12/21	144	20/12/21	133										
7/01/22	17/01/22	<5	17	<5	<5	8	12/01/22	86	13/01/22	114	14/01/22	117	17/01/22	106	18/01/22	110								
17/01/22	24/01/22	<5	17	17	<5	7.7	20/01/22	114	21/01/22	77														
3/02/22	9/02/22	<5	22	<5	<5	7	7/02/22	150	8/02/22	146	9/02/22	152	10/02/22	156										
9/03/22	14/03/22	<5	27	<5	<5	7.5	14/03/22	151	15/03/22	149	16/03/22	144	17/03/22	150	18/03/22	100								
24/03/22	30/03/22	<5	7	<5	<5	8.4	28/03/22	107	30/03/22	100	31/03/22	117												
7/04/22	13/04/22	<5	6	<5	<5	8.2	11/04/22	133	12/04/22	140	13/04/22	152	14/04/22	144										
26/04/22	2/05/22	<5	17	6	<5	8.3	1/05/22	151	2/05/22	144	3/05/22	70	4/05/22	160										
23/05/22	30/05/22	<5	7	<5	<5	7	25/05/22	146	26/05/22	150	27/05/22	91	30/05/22	152	31/05/22	78								
1/07/22	6/07/22	<5	19	<5	<5	7.3	6/07/22	150	7/07/22	122	8/07/22	153												
11/07/22	19/07/22	<5	9	<5	<5	8.4	12/07/22	144	13/07/22	150	14/07/22	150	15/07/22	144										

18/07/22	27/07/22	<5	16	<5	<5	8.3	19/07/22	150	20/07/22	136	21/07/22	150	25/07/22	115	26/07/22	150				
24/08/22	31/08/22	<5	17	<5	<5	8	26/08/22	144	29/08/22	151	30/08/22	178	31/08/22	152						
16/09/22	21/09/22	<5	16	<5	<5	7.8	20/09/22	144	21/09/22	132	22/09/22	144	23/09/22	100						
30/09/22	6/10/22	<5	15	<5	<5	8	5/10/22	102	7/10/22	105										
10/10/22	17/10/22	<5	8	<5	<5	8.1	12/10/22	156	13/10/22	149	14/10/22	140	15/10/22	140						
18/10/22	24/10/22	<5	19	<5	<5	8	20/10/22	160	21/10/22	278	22/10/22	150								
14/11/22	21/11/22	<5	17	<5	<5	7.9	16/11/22	144	17/11/11	151	18/11/22	144	21/11/22	150						
14/12/22	19/12/22	<5	27	6	<5	7.3	19/12/22	107	21/12/22	144										

Point-2: Discharge to Air

		Element	Carbon dioxide	Dry gas density	Moisture content	Molecular weight of stack gases	Nitrogen Oxides	Temperature	Velocity	Volatile organic compound	Volumetric flow rate
		Unit of measure	%	kg/m3	%	g/gmole	mg/m3	deg C	m/s	mg/m3	m3/s
		Frequency	Annual	Annual	Annual	Annual	Annual	Continuous	Annual	Annual	Continuous
Date of Sampling	Date Results obtained	Test Results									
19/06/2019	12/07/2019	Min	2.6	N/A	N/A	N/A	120	N/A	N/A	N/A	N/A
		Avg	2.8	1.3	5.2	28.6	160	614	18	<0.1	3.3
		Max	3.1	N/A	N/A	N/A	180	N/A	N/A	N/A	N/A
2/07/2020	31/07/2020	Min	3	N/A	N/A	N/A	140	N/A	N/A	N/A	N/A
		Avg	3.1	1.31	5.1	29.3	140	622	15	<0.1	2.8
		Max	3.1	N/A	N/A	N/A	150	N/A	N/A	N/A	N/A
11/08/2021	15/09/2021	Min	2.4	N/A	N/A	N/A	100	N/A	N/A	N/A	N/A
		Avg	2.8	1.3	5.1	29.2	130	602	18	0.87	3.4
		Max	3.4	N/A	N/A	N/A	150	N/A	N/A	N/A	N/A
6/09/2022	14/10/2022	Min	3.1	N/A	N/A	N/A	110	N/A	N/A	N/A	N/A
		Avg	3.3	1.3	10	29.3	120	516	18	0.39	3.3
		Max	3.5	N/A	N/A	N/A	120	N/A	N/A	N/A	N/A

Point-4: Thermal Oxidiser

Month	Combustion Temperature (°C)			Residence Time (s)		
	Min	Max	Mean	Min	Max	Mean
Jan-19	769	770	770	2	2	2
Feb-19	769	770	770	2	2	2
Mar-19	769	770	770	2	2	2
Apr-19	769	770	770	2	2	2
May-19	769	770	770	2	2	2
Jun-19	770	770	770	2	2	2
Jul-19	770	770	770	2	2	2
Aug-19	769	770	770	2	2	2
Sep-19	769	770	770	2	2	2
Oct-19	769	770	770	2	2	2
Nov-19	769	770	769	2	2	2
Dec-19	767	769	768	2	2	2
Jan-20	768	770	769	2	2	2
Feb-20	768	769	769	2	2	2
Mar-20	768	770	769	2	2	2
Apr-20	768	770	769	2	2	2
May-20	769	770	769	2	2	2
Jun-20	768	770	769	2	2	2
Jul-20	782	783	782	2	2	2
Aug-20	768	769	769	2	2	2
Sep-20	769	769	769	2	2	2
Oct-20	768	770	769	2	2	2
Nov-20	766	772	769	2	2	2
Dec-20	769	770	770	2	2	2
Jan-21	768	769	769	2	2	2
Feb-21	769	770	770	2	2	2
Mar-21	770	771	770	2	2	2
Apr-21	769	770	770	2	2	2
May-21	769	770	770	2	2	2
Jun-21	769	770	769	2	2	2
Jul-21	768	770	769	2	2	2
Aug-21	768	770	769	2	2	2
Sep-21	768	770	769	2	2	2
Oct-21	768	769	768	2	2	2
Nov-21	762	764	763	2	2	2
Dec-21	768	770	769	2	2	2
Jan-22	767	768	767	2	2	2
Feb-22	767	768	768	2	2	2
Mar-22	768	769	768	2	2	2
Apr-22	768	770	769	2	2	2
May-22	768	769	769	2	2	2
Jun-22	768	770	769	2	2	2
Jul-22	780	781	780	2	2	2
Aug-22	768	768	768	2	2	2
Sep-22	769	769	769	2	2	2
Oct-22	769	770	769	2	2	2
Nov-22	766	771	769	2	2	2

Point-5: AS/SVE Emission Stack

Date of Sampling	Date Results Obtained	Element	Total Volatile Organic Compounds	Toluene	Ethylbenzene	Xylene
		Unit of Measure	mg/m ³	mg/m ³	mg/m ³	mg/m ³
		Limit	428	117	250	61
		Test Results				
10/01/2019	10/01/2019	2	0.2	<0.022	1.2	
14/02/2019	14/02/2019	2	0.2	<0.022	1.0	
8/03/2019	8/03/2019	2	0.2	<0.022	0.9	
29/04/2019	29/04/2019	4	0.2	<0.022	2.4	
29/05/2019	29/05/2019	1	0.2	<0.022	0.6	
27/06/2019	27/06/2019	1	0.1	<0.022	0.6	
29/07/2019	30/07/2019	1	0.1	<0.022	0.5	
14/08/2019	15/08/2019	1	0.1	<0.022	0.4	
12/09/2019	12/09/2019	1	0.1	0.1	0.7	
9/10/2019	10/10/2019	1	0.1	0.0	0.6	
25/11/2019	26/11/2019	1	0.1	<0.022	0.6	
18/12/2019	-	system not operational				
23/01/2020	24/01/2020	1	0.6	0.0	0.6	
28/02/2020	28/02/2020	0	0.0	<0.022	0.3	
9/03/2020	10/03/2020	1	0.1	<0.022	0.3	
5/04/2020	6/04/2020	1	0.2	<0.022	0.3	
7/05/2020	8/05/2020	0	0.2	<0.022	0.2	
2/06/2020	3/06/2020	0	0.1	<0.022	0.3	
1/07/2020	2/07/2020	0	0.2	<0.022	0.2	
3/08/2020	4/08/2020	0	0.2	<0.022	0.1	
9/09/2020	10/09/2020	0	0.0	<0.022	0.1	
13/10/2020	14/10/2020	0	0.2	<0.022	0.1	
27/11/2020	30/11/2020	0	0.2	<0.022	0.0	
22/12/2020	23/12/2020	1	0.8	<0.022	0.0	
19/01/2021	20/01/2021	1	0.9	<0.022	0.0	
4/02/2021	5/02/2021	1	0.7	<0.022	0.0	
23/03/2021	7/04/2021	1	0.7	<0.022	<0.02	
22/04/2021	10/05/2021	0	0.4	<0.022	<0.022	
21/05/2021	11/06/2021	1	0.4	<0.022	<0.022	
29/06/2021	26/07/2021	10	0.4	4.9	4.3	
3/08/2021	17/09/2021	0	0.1	<0.022	0.0	
1/09/2021	8/09/2021	1	0.9	<0.022	0.0	
27/09/2021	29/09/2021	0	<0.019	<0.022	0.0	
23/12/2021	21/01/2022	0	<0.019	<0.022	0.1	
22/04/2022	26/04/2022	0	<0.019	<0.022	0.1	
27/07/2022	5/08/2022	0	<0.019	<0.022	0.0	
30/11/2022	8/12/2022	0	<0.019	<0.022	0.0	

Point-6: Groundwater Monitoring

	Element	Ethyl benzene	Toluene	TPH C6-C9 Fraction	TPH C10-C14	TPH C15-C28	TPH C29-C36	Volatile Organic Compounds	Xylene	
	Unit of Measure	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	
Date of Sampling	Date Results Obtained	Test Results								
	10/01/2019	21900	362	53800	4690	320	<50	58650	16900	
	14/02/2019	27000	174	51700	3220	400	<50	56680	19600	
	8/03/2019	31200	545	64400	3600	250	<50	68306	20800	
	29/04/2019	14/05/2019	22200	508	54000	3930	340	<50	58470	17400
	29/05/2019	12/06/2019	19600	393	50900	2310	170	<50	54230	14600
	27/06/2019	22/07/2019	22000	3120	56900	4610	<100	<50	63260	16000
	11/07/2019	22/07/2019	25900	12500	107000	1690	170	<50	106000	23200
	14/08/2019	21/08/2019	19900	484	38600	3480	260	<50	41970	11300
	12/09/2019	20/09/2019	14300	560	30000	2320	250	<50	32734	9270
	9/10/2019	18/10/2019	17400	504	47100	1850	300	<50	51610	12100
	19/11/2019	4/12/2019	19400	298	42900	2080	220	<50	45400	15000
	18/12/2019	7/01/2020	9170	143	32100	3000	340	<50	36130	7130
	24/01/2020	24/02/2020	6800	192	18000	2680	<100	<50	21158	7380
	12/02/2020	13/03/2020	28500	13000	103000	2530	<100	<50	110460	20600
	10/03/2020	17/03/2020	25200	16700	90700	5110	350	<50	97890	20100
	6/04/2020	16/04/2020	25700	13400	86200	2740	120	<50	90920	19900
	8/05/2020	18/05/2020	10600	1010	35600	2780	260	<50	38466	10600
	14/03/2018	27/03/2018	28000	4050	86200	5930	780	<50	96481	24800
	25/06/2018	11/07/2018	18300	3010	41500	4780	520	<50	60670	15500
	7/09/2018	8/09/2018	13400	268	28500	1810	190	<50	38850	10280
	9/11/2018	9/11/2018	16800	283	33100	2270	190	<50	45090	10700
	14/12/2018	14/12/2018	22200	429	43000	3270	390	<50	52210	16180
	10/01/2019	10/01/2019	21900	362	53800	4690	320	<50	58650	16800
	14/02/2019	14/02/2019	27000	174	51700	3220	400	<50	56680	19600
	8/03/2019	8/03/2019	31200	545	64400	3600	250	<50	68306	20800
	29/04/2019	14/05/2019	22200	508	54000	3930	340	<50	58470	17400
	29/05/2019	12/06/2019	19600	393	50900	2310	170	<50	54230	14600
	27/06/2019	22/07/2019	22000	3120	56900	4610	<100	<50	63260	16000
	11/07/2019	22/07/2019	25900	12500	107000	1690	170	<50	106000	23200
	14/08/2019	21/08/2019	19900	484	38600	3480	260	<50	41970	11300
	12/09/2019	20/09/2019	14300	560	30000	2320	250	<50	32734	9270
	9/10/2019	18/10/2019	17400	504	47100	1850	300	<50	51610	12100
	19/11/2019	4/12/2019	19400	298	42900	2080	220	<50	45400	15000
	18/12/2019	7/01/2020	9170	143	32100	3000	340	<50	36130	7130
	24/01/2020	24/02/2020	6800	192	18000	2680	<100	<50	21158	7380
	12/02/2020	13/03/2020	28500	13000	103000	2530	<100	<50	110460	20600
	10/03/2020	17/03/2020	25200	16700	90700	5110	350	<50	97890	20100
	6/04/2020	16/04/2020	25700	13400	86200	2740	120	<50	90920	19900
	8/05/2020	18/05/2020	10600	1010	35600	2780	260	<50	38466	10600
	3/06/2020	12/06/2020	22800	1450	61000	2700	110	<50	65125	17200
	2/07/2020	9/07/2020	14400	1430	50600	3590	220	<50	54259	13300
	4/08/2020	12/08/2020	23400	9570	73700	5300	210	<50	78194	19100
	10/09/2020	18/09/2020	13500	841	53200	3940	240	<50	54900	12600
	14/10/2020	21/10/2020	20800	634	66300	4810	120	<50	71890	18600
	27/11/2020	4/12/2020	14200	364	37700	2850	140	<50	42250	13000
	22/12/2020	29/12/2020	18400	560	48300	4010	150	<50	52920	16500
	19/01/2021	27/01/2021	7360	118	24700	3680	120	<50	28395	9460
	3/02/2021	9/02/2021	17600	1040	52000	3150	170	<50	56416	15700
	26/03/2021	7/04/2021	30600	16400	105000	2490	<100	<50	110800	23200
	22/04/2021	10/05/2021	30100	15200	93600	2590	<100	<50	100390	23800
	17/05/2021	11/06/2021	45000	11000	120000	8000	1200	100	109940	37000
	29/06/2021	26/07/2021	31200	4290	87100	9610	870	<50	96040	24700
	2/08/2021	17/09/2021	26600	3390	82300	7560	<100	<50	92560	25900
	1/09/2021	17/09/2021	9110	730	32600	4100	260	4360	40200	13100
	25/10/2021	24/01/2022	5360	627	18600	3320	240	<50	23270	7950
	17/01/2022	4/02/2022	935	105	4700	560	180	<50	5240	1890
	16/02/2022	11/05/2022	3440	515	14300	1780	270	<50	16020	4850
	16/03/2022	11/05/2022	1350	297	4170	910	230	<50	5020	1310
	22/04/2022	11/05/2022	898	196	-	-	-	-	880	880
	12/05/2022	18/07/2022	8430	3250	30700	2190	250	<50	33482	8990
	23/06/2022	18/07/2022	3920	444	13900	840	120	<50	15710	3840
	28/07/2022	21/10/2022	3320	203	11800	990	130	<50	13130	4070
	25/08/2022	21/10/2022	2680	158	9900	980	300	<50	11560	4230
	29/09/2022	21/10/2022	2720	72	9720	730	210	<50	11150	3470
	26/10/2022	4/11/2022	1180	29	5500	370	230	<50	7226	1722
	29/11/2022	7/12/2022	1450	53	4530	150	<100	<50	5455	1635

Point-7: Groundwater Monitoring

	Element	Ethyl benzene	Toluene	TPH C6-C9 Fraction	TPH C10-C14	TPH C15-C28	TPH C29-C36	Volatile Organic Compounds	Xylene
	Unit of Measure	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Date of Sampling	Date Results Obtained	Test Results							
10/01/2019	10/01/2019	4	<2	<20	<50	<100	<50	4.0	<2
14/02/2019	14/02/2019	8	<2	<20	<50	<100	<50	11.0	3.0
8/03/2019	8/03/2019	2	<2	<20	<50	<100	<50	2.0	<2
29/04/2019	14/05/2019	234	330	2760	350	<100	<50	3120	1510
29/05/2019	12/06/2019	225	20	1040	470	<100	<50	1399	384
27/06/2019	22/07/2019	4	<2	30	<50	<100	<50	21	17
11/07/2019	22/07/2019	10	<2	40	<50	<100	<50	32	22
14/08/2019	21/08/2019	<2	<2	<20	<50	<100	<50	<1	<2
12/09/2019	20/9/109	<2	<2	<20	<50	<100	<50	<1	<2
9/10/2019	18/10/2019	<2	<2	<20	<50	<100	<50	<1	<2
18/11/2019	4/12/2019	<2	<2	<20	<50	<100	<50	<1	<2
18/12/2019	7/01/2020	<2	<2	<20	<50	<100	<50	<1	<2
24/01/2020	24/02/2020	3	3	<20	<50	<100	<50	15	9
12/02/2020	13/03/2020	6	<2	<20	<50	<100	<50	11	5
10/03/2020	17/03/2020	<2	<2	<20	<50	<100	<50	<1	<2
7/04/2020	16/04/2020	<2	<2	<20	<50	<100	<50	<1	<2
8/05/2020	18/05/2020	<2	<2	<20	<50	<100	<50	<1	<2
3/06/2020	12/06/2020	<2	<2	<20	<50	<100	<50	<1	<2
2/07/2020	9/07/2020	<2	<2	<20	<50	<100	<50	<1	<2
4/08/2020	12/08/2020	<2	<2	<20	<50	<100	<50	<1	<2
10/09/2020	18/09/2020	<2	<2	<20	<50	<100	<50	<1	<2
14/10/2020	21/10/2020	<2	<2	<20	<50	<100	<50	<1	<2
27/11/2020	4/12/2020	<2	<2	<20	<50	<100	<50	<1	<2
22/12/2020	29/12/2020	<2	<2	<20	<50	<100	<50	<1	<2
19/01/2021	27/01/2021	<2	<2	<20	<50	<100	<50	<1	<2
2/02/2021	9/02/2021	<2	<2	<20	<50	<100	<50	<1	<2
26/03/2021	7/04/2021	<2	<2	<20	<50	<100	<50	<1	<2
22/04/2021	10/05/2021	<2	<2	<20	<50	<100	<50	<1	<2
21/05/2021	11/06/2021	<2	<2	<20	<50	<100	<50	<1	<2
29/06/2021	26/07/2021	<2	<2	<20	<50	<100	<50	<1	<2
3/08/2021	17/09/2021	<2	<2	<20	<50	<100	<50	<1	<2
1/09/2021	17/09/2021	<2	<2	<50	<50	<100	<50	<1	<2
27/10/2021	24/01/2022	<2	<2	<20	<50	<100	<50	<1	<2
17/01/2022	4/02/2022	<2	<2	<20	<50	<100	<50	<1	<2
22/04/2022	11/05/2022	<2	<2	-	-	-	-	-	<2
12/05/2022	18/07/2022	< 2	< 2	< 20	< 50	< 100	< 50	< 100	< 2
27/10/2022	4/11/2022	< 2	< 2	< 20	< 50	< 100	< 50	< 100	< 2