



New Aquaguard® XT Gelcoat

A highly durable gelcoat for outdoor applications



AQUAGUARD® XT GELCOAT has been formulated to provide excellent UV & weathering resistance with outstanding gloss retention where a high quality spray grade gelcoat is required.

Due to its superior weathering properties **AQUAGUARD® XT GELCOAT** has been specifically designed for outdoor applications and is highly recommended for use in the manufacture of truck body panels.

AQUAGUARD® XT – Improved performance


UV Resistance	Outstanding resistance to discolouration on outdoor UV exposure
Weathering Resistance	High gloss retention on outdoor exposure
Ease of Application	Excellent atomisation and general spraying characteristics. Easy to apply with industry standard spray equipment
Lower Styrene Content	Reduced emissions on workshop applications

Application Guidelines

Plan a course of action prior to starting and ensure the gelcoat has been properly stirred prior to using. Position the correctly prepared and cleaned mould for easy access and trigger the gun off the mould. Apply the gelcoat evenly with overlapping strokes to the correct thickness, ideally achieved in 3 passes. Always use a wet film thickness gauge to measure an even coverage of 24 to 30 thou (approximately 0.6 to 0.75mm).

Application Temperature Range	15 - 30°C
Catalyst Level (MEKP: 9% Active Oxygen)	1.5 – 2.5% v/w (volume of catalyst on weight of gelcoat)

Accelerated UV Resistance Comparison



**For more information on this product please contact our Customer Service Team on 1800 789 607
or visit www.allnex.com**

AQUAGUARD® XT GELCOAT IS NOW AVAILABLE FROM ALLNEX COMPOSITES

Disclaimer: allnex Group companies ('allnex') exclude all liability with respect to the use made by anyone of the information contained herein. The information contained herein represents allnex's best knowledge but does not constitute any express or implied guarantee or warranty as to the accuracy, the completeness or relevance of the data set out herein. Nothing contained herein shall be construed as conferring any license or right under any patent or other intellectual property rights of allnex or of any third party. The information relating to the products is given for information purposes only. No guarantee or warranty is provided that the product and/or information is suitable for any specific use, performance or result. Any unauthorized use of the product or information may infringe the intellectual property rights of allnex, including its patent rights. The user should perform his/her own tests to determine the suitability for a particular purpose. The final choice of use of a product and/or information as well as the investigation of any possible violation of intellectual property rights or misappropriation of trade secrets of allnex and/or third parties remain the sole responsibility of the user. Notice: Trademarks indicated with ®, TM or * as well as the allnex name and logo are registered, unregistered or pending trademarks of Allnex Netherlands B.V. or its directly or indirectly affiliated allnex Group companies. ©2021 allnex Group. All Rights Reserved.

